

AD-A128 738

'TRIDENT' STRATEGIC NUCLEAR MISSILE SUBMARINE(U)
FOREIGN TECHNOLOGY DIV WRIGHT-PATTERSON AFB OH 0 LI
22 SEP 82 FTD-ID(RS)T-1036-82

1/1

UNCLASSIFIED


F/G 13/10.1 NL




END

FILED

FILE




MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A




MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD A 120730

DTIC FILE COPY

FTD-ID(RS)T-1036-82


FOREIGN TECHNOLOGY DIVISION



"TRIDENT" STRATEGIC NUCLEAR MISSILE SUBMARINE

by

Li Ou



OCT 22 1982

Approved for public release;
distribution unlimited.

82 10 22 060

EDITED TRANSLATION

FTD-ID(RS)T-1036-82

22 September 1982

MICROFICHE NR: FTD-82-C-001247

"TRIDENT" STRATEGIC NUCLEAR MISSILE SUBMARINE

By: /Li Ou

English pages: 5

Source: Jiefangjun Huabao, Nr. 6, June 1982, pp. 43

Country of origin: China

Translated by: Randy Dorsey

Requester: FTD/SDBS

Approved for public release; distribution unlimited.

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:


TRANSLATION DIVISION
FOREIGN TECHNOLOGY DIVISION
WP-AFB, OHIO.

**DTIC
COPY
INSPECTED
2**

Playing the most important part with respect to enhancing the ability of the submarine to survive is the range of the "Trident" missiles. "Trident" missiles are divided into two types. At present, the submarine carries the "Trident 1"; the "Trident II" is under development. Their warhead equivalent weight is high and their ability to defend against attack is great. Furthermore, their hit accuracy is high (the circle of probable error at maximum range does not exceed 230 m). The range of the two types of missiles are 4600 nmi and 6000 nmi, respectively. Thus, when cruising in waters with an area of 1400 square nmi, a submarine equipped with Trident I missiles can threaten Soviet targets everywhere. Carrying Trident II missiles on the other hand can enable the submarine's combat cruising area to be expanded to 5500 square nmi. Such a vast area will be difficult for Soviet anti-submarine capability to deal with. The advanced performance of the Trident submarine has aroused wide-spread attention in the world, particularly with the Soviet Union even more unwilling to lag behind. According to reports, the Soviet Union is presently hard at work building a "Typhoon" class submarine similar to the "Trident" submarine.




A Trident submarine, the "Michigan", under construction. Its outer hull has still not been installed and the arrangement of the guided missile launch tubes is clearly visible.



A sketch of compartments of the Trident submarine.


KEY: (a) Main ballast tank; (b) Entry and exit hatch; (c) Guided missile launch tubes; (d) wave pressure elevator tower; (e) command bridge circular hull; (f) (illegible) chamber; (g) sonar (illegible); (h) Torpedo launch tube location; (i) Command bay; (j) Guided missile bay; (k) Reactor bay; (m) Main and auxiliary engine bay; (n) Main characteristics of Trident submarine; (p) Overall length 170.7 m; (q) Maximum width 12.8 m; (r) Draft 11 m; (s) Displacement, 16,600 t (surfaced), 18,700 t (submerged); (t) Diving depth 400 m; (u) Speed 20-25 knots; (v) Self-sufficiency 70 days; (w) Navigational position fixing accuracy 45-50 m; (x) Missile carrying capacity 24 missiles; (y) Personnel 133, officers 16, seamen 117; (z) Service life 30 years.



Guided missile launch control center of the Trident submarine.




Trident I missile surface launch test being carried out.



Structural sketch of Trident I missile. Main characteristics: Overall length 10.4 m, diameter 1.88 m, number of rocket stages 3, range 4600 nmi (8500 km), warhead MK4 - MIRV package-type warhead. Has a total of 8-10 separate warheads, each separate warhead has a 1000 kiloton equivalent weight. Circle of probable error at maximum range is 230 m.

KEY: (a) Extendable flight (illegible); (b) Third stage engine; (c) Main bay; (d) transition stage; (e) Second stage engine; (f) (illegible) stage; (g) First stage engine; (h) 1.83 m; (j) 1.88 m; (k) 10.4 m.



Missile launch tube arrangement. The right launch tube in the figure represents the Trident II missile with which nuclear submarines will be equipped in the future. Since the nuclear missiles are still under development, the launch tubes presently use a sleeve insert in each launch tube to accomodate the smaller Trident I missiles, as shown on the left.

KEY: (a) Trident I missile; (b) Trident I (illegible); (c) Trident II missile (under development).

END